

8 January 2014
Reference: 193807

Ms. Linda Matyskiela
EPA Region III
1650 Arch Street, 3WC22
Philadelphia, PA 19103



Re: Quarterly and Annual Monitoring Report
Baldwin Hardware Corporation, Reading, Pennsylvania,
PAD 00 235 0833

Dear Ms. Matyskiela:

On behalf of the Baldwin Hardware Corporation (Baldwin Hardware), ERM has enclosed one (1) hardcopy and one (1) electronic copy (CD) of the *Fourth Quarter 2013 Quarterly Monitoring Report and Annual Report* for the above-referenced site. Under the consent agreement between EPA and Baldwin Hardware, Baldwin Hardware is required to provide the EPA with two copies of the quarterly monitoring report for their facility in Reading, Pennsylvania.

If you have any questions or comments please contact me at 410-266-0006 or Mr. David Hancock, Baldwin Hardware Corporation at 610-777-7811.

Sincerely,

A handwritten signature in blue ink that reads "Robin Lee". The signature is written in a cursive style with a large, stylized "L" at the end.

Robin Guynn
Project Manager

enclosures: (2)

cc: D. Hancock - Baldwin (w/enclosure)
S. Oldhouser - PADEP
K. Hinckley - Stanley Black and Decker
K. Bitjeman - Loureiro Engineering Associates, Inc.